




## Medication – Administering Medication

---



### **Help for non-English speakers**

If you need help to understand the information in this policy please contact Warrnambool East Primary School 55624100

### POLICY STATEMENT

Teachers and schools are often asked by parents to administer medication for their children while at school. It is important that such requests are managed in a manner that is appropriate, ensures the safety of students, and fulfils the duty of care of staff. The school will ensure the students privacy and confidentiality and will exercise sensitivity towards this issue to avoid any stigmatisation.

### PURPOSE

To explain to parents/carers, students and staff the processes Warrnambool East PS will follow to safely manage the provision of medication to students while at school or school activities, including camps and excursions.

### SCOPE

This policy applies to the administration of medication to all students. It does not apply to:

- the provision of medication for anaphylaxis which is provided for in our school's Anaphylaxis Policy
- the provision of medication for asthma which is provided for in our school's Asthma Policy [Schools should have an Asthma Policy in place if they have a student enrolled who has been diagnosed with asthma.
- specialised procedures which may be required for complex medical care needs.

### POLICY

If a student requires medication, Warrnambool East PS encourages parents to arrange for the medication to be taken outside of school hours. However, Warrnambool East PS understands that students may need to take medication at school or school activities. To support students to do so safely, Warrnambool East PS will follow the procedures set out in this policy.

### AUTHORITY TO ADMINISTER

If a student needs to take medication while at school or at a school activity:

- Parents/carers will need provide the medication in the original packaging to the school. Which details the students name, medication, dosage (If the parent wants to keep the packaging the school can photocopy the original packaging details) This will be kept with the medication. Parents will also be asked the following questions:
  - the name of the medication required

- the dosage amount
  - the time the medication is to be taken
  - how the medication is to be taken
  - the dates the medication is required, or whether it is an ongoing medication
  - how the medication should be stored.
- When medication is brought to school for any reason the student's Healthcare provider must fill in a Medication Authority Form supplied by the office. If advice cannot be provided by a student's medical/health provider, the principal nominee may agree that written authority can be provided using the Medication Authority Form by the student's parents/carers. (excluding Anaphylaxis, Asthma or Diabetes - these require a specific plan established by the child's medical practitioner.)
  - The principal nominee may need to consult with parents/carers to clarify written advice and consider student's individual preferences regarding medication administration (which may also be provided for in a student's Student Health Support Plan).

Parents/carers can contact administration staff for a Medication Authority Form. These are also available on the website.

### ADMINISTERING MEDICATION

Any medication brought to school by a student needs to be clearly labelled with:

- the student's name
- the dosage required
- the time the medication needs to be administered.

Parents/carers need to ensure that the medication a student has at school is within its expiry date. If school staff become aware that the medication a student has at school has expired, they will promptly contact the student's parents/carers who will need to arrange for medication within the expiry date to be provided.

If a student needs to take medication at school or a school activity, the principal (or their nominee) will ensure that:

1. Medication is administered to the student in accordance with the Medication Authority Form so that:
  - the student receives their correct medication
  - is the proper dose
  - via the correct method (for example, inhaled or orally)
  - at the correct time of day.
2. A log is kept of medicine administered to a student. Where possible, two staff members will sign off on the administration of medication.
3. The teacher in charge of a student at the time their medication is required:
  - to send the child to the office to have their medication administered.
  - release the student from class to obtain their medication.

### SELF-ADMINISTRATION

In some cases it may be appropriate for students to self-administer their medication. The Principal's nominee may consult with parents/carers and consider advice from the student's medical/health practitioner to determine whether to allow a student to self-administer their medication.

If the Principal's nominee decides to allow a student to self-administer their medication, the Principal's nominee may require written acknowledgement from the student's medical/health practitioner, or the student's parents/carers that the student will self-administer their medication.

### STORING MEDICATION

The Principal's nominee will put in place arrangements so that medication is stored:

- securely in locked cupboard/office to minimise risk to others
- in a place only accessible by staff who are responsible for administering the medication
- away from a classroom (unless quick access is required)

- away from first aid kits
- according to packet instructions, particularly in relation to temperature.

For most students, Warrnambool East PS will store student medication at the front office in the locked storage area with separate compartments for each student.

The Principal may decide, in consultation with parents/carers and/or on the advice of a student's treating medical/health practitioner:

- that the student's medication should be stored securely in the student's classroom if quick access might be required
- to allow the student to carry their own medication with them, preferably in the original packaging if:
  - the medication does not have special storage requirements, such as refrigeration
  - doing so does not create potentially unsafe access to the medication by other students.

### **MEDICATION AUDIT**

A medication audit will be conducted by admin staff at the end of each month checking all medications, plans and medication Authority forms are aligned and correct.

### **WARNING**

Warrnambool East PS will not:

- in accordance with Department of Education and Training policy, store or administer analgesics such as aspirin and paracetamol as a standard first aid strategy as they can mask signs and symptoms of serious illness or injury
- allow a student to take their first dose of a new medication at school in case of an allergic reaction. This should be done under the supervision of the student's parents, carers or health practitioner
- allow use of medication by anyone other than the prescribed student except in a life threatening emergency, for example if a student is having an asthma attack and their own puffer is not readily available.

### **MEDICATION ERROR**

If a student takes medication incorrectly, staff will endeavour to:

Step	Action
1.	If required, follow first aid procedures outlined in the student's Health Support Plan or other medical management plan.
2.	Ring the Poisons Information Line, 13 11 26 and give details of the incident and the student.
3.	Act immediately upon their advice, such as calling Triple Zero "000" if advised to do so.
4.	Contact the student's parents/carers or emergency contact person to notify them of the medication error and action taken.
5.	Review medication management procedures at the school in light of the incident.

In the case of an emergency, school staff may call Triple Zero "000" for an ambulance at any time.

### **COMMUNICATION**

This policy will be communicated to our school community in the following ways;

- Included in staff induction processes
- Available publicly on our school's website
- Included as annual reference in school newsletter
- Discussed at staff briefings/meetings as required
- Discussed at parent information nights/sessions
- Made available in hard copy from school administration upon request

## FURTHER INFORMATION AND RESOURCES

The Department's Policy and Advisory Library (PAL):

- [Medication Policy](#)
- [First Aid for Students and Staff Policy](#)

## POLICY REVIEW AND APPROVAL

Policy last reviewed	May 2025
Approved by	Principal
Next scheduled review date	May 2028

Is it compulsory for all Victorian government schools to have a policy addressing this issue?	Yes, a school policy addressing this issue is required by Department policy and the Minimum Standards for school registration (and school reviews).
Does this policy have to be approved by school council?	No
Recommended consultation	Consultation with your school council is not required for this policy as it is operational. Principals may choose to present it to school council for noting.
What is the basis of this policy?	<ul style="list-style-type: none"> <li>• Minimum Standards for school registration (and school reviews)</li> <li>• The Department's <a href="#">Medication Policy</a></li> <li>• Duty of care</li> <li>• Disability discrimination legislation</li> </ul>
Recommended review cycle	3-4 years

## [Appendix A](#)

### ADMINISTRATION OF ANALGESICS

Analgesics are only to be given following permission of parents/guardians and are to be issued by nominated staff who maintain a record to monitor student intake. Analgesics are to be supplied by the parents.

### ASTHMA

Asthma is an extremely common condition for Australian students. Students with asthma have sensitive airways in their lungs. When exposed to certain triggers their airways narrow, making it hard for them to breathe.

Symptoms of asthma commonly include:

- cough
- tightness in the chest
- shortness of breath/rapid breathing
- wheeze (a whistling noise from the chest)

Many children have mild asthma with very minor problems and rarely need medication. However, some students will need medication on a daily basis and frequently require additional medication at school (particularly before or after vigorous exercise). Most students with asthma can control their asthma by taking regular medication.

### STUDENT ASTHMA INFORMATION

Every student with asthma attending the school has a written Asthma Action Plan, ideally completed by their treating doctor or paediatrician, in consultation with the student's parent/carer.

This plan is attached to the student's records and updated annually or more frequently if the student's asthma changes significantly. The Asthma Action Plan should be provided by the student's doctor and is accessible to all staff. It contains information including:

- usual medical treatment (medication taken on a regular basis when the student is 'well' or as pre-medication prior to exercise)
- details on what to do and details of medications to be used in cases of deteriorating asthma – this includes how to recognise worsening symptoms and what to do during an acute asthma attack
- name, address and telephone number of an emergency contact
- name, address and telephone number (including an after-hours number) of the student's doctor

If a student is obviously and repeatedly experiencing asthma symptoms and/or using an excessive amount of reliever medication, the parents/carers will be notified so that appropriate medical consultation can be arranged. Students needing asthma medication during school attendance must have their medication use; date, time and amount of dose recorded in an asthma register kept at the school office.

### ASTHMA MEDICATION

There are three main groups of asthma medications: relievers, preventers and symptom controllers. There are also combination medications containing preventer and symptom controller medication in the same delivery device.

Reliever medication provides relief from asthma symptoms within minutes. It relaxes the muscles around the airways for up to four hours, allowing air to move more easily through the airways. Reliever medications are usually blue in colour and common brand names include Airomir, Asmol, Bricanyl, Epaq and Ventolin. These medications will be easily accessible to students at all times, preferably carried by the student with asthma. All students with asthma are encouraged to recognise their own asthma symptoms and take their blue reliever medication as soon as they develop symptoms at school.

Preventer medications come in autumn colours (for example brown, orange, and yellow) and are used on a regular basis to prevent asthma symptoms. They are mostly taken twice a day at home and will generally not be seen in the school environment.

Symptom controllers are green in colour and are often referred to as long acting relievers. Symptom controllers are used in conjunction with preventer medication and are taken at home once or twice a day.

Symptom controllers and preventer medications are often combined in one device. These are referred to as combination medications and will generally not be seen at school.

## APPENDIX B

# MEDICATION AUTHORITY FORM

## For students requiring medication to be administered at school

This form should, ideally, be signed by the student's medical/health practitioner for all medication to be administered at school but schools may proceed on the signed authority of parents in the absence of a signature from a medical practitioner.

- For students with asthma, [Asthma Australia's School Asthma Care Plan](#)
- For students with anaphylaxis, an [ASCI Action Plan for Anaphylaxis](#)

Please only complete the sections below that are relevant to the student's health support needs. If additional advice is required, please attach it to this form.

**Please note: wherever possible, medication should be scheduled outside school hours, eg medication required three times daily is generally not required during a school day – it can be taken before and after school and before bed.**

### Student Details

Name of school: \_\_\_\_\_

Name of student: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

MediAlert Number (if relevant): \_\_\_\_\_

Review date for this form: \_\_\_\_\_

### Medication to be administered at school:

Name of Medication	Dosage (amount)	Time/s to be taken	How is it to be taken? (eg oral/topical/injection)	Dates to be administered	Supervision required
				Start: / / End: / / <b>OR</b> <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer
				Start: / / End: / / <b>OR</b> <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer

### Medication delivered to the school

Please indicate if there are any specific storage instructions for any medication:

---

---

### Medication delivered to the school

Please ensure that medication delivered to the school:

- ☐ Is in its original package
- ☐ The pharmacy label matches the information included in this form. If you are unable to provide the original packaging, you will be required to have the medical practitioner fill in/sign the section below.

### Supervision required

Students in the early years will generally need supervision of their medication and other aspects of health care management. In line with their age and stage of development and capabilities, older students can take responsibility for their own health care. Self-management should be agreed to by the student and their parents/carers, the school and the student's medical/health practitioner.

Please describe what supervision or assistance is required by the student when taking medication at school (e.g. remind, observe, assist or administer):

---

---

### Monitoring effects of medication

Please note: School staff **do not** monitor the effects of medication and will seek emergency medical assistance if concerned about a student's behaviour following medication.

### Privacy Statement

We collect personal and health information to plan for and support the health care needs of our students. Information collected will be used and disclosed in accordance with the Department of Education and Training's privacy policy which applies to all government schools (available at: <http://www.education.vic.gov.au/Pages/schoolsprivacypolicy.aspx>) and the law.

### Authorisation to administer medication in accordance with this form:

Name of parent/carer: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Name of medical/health practitioner: \_\_\_\_\_

Professional role: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Contact details: \_\_\_\_\_

APPENDIX C

MEDICATION ADMINISTRATION LOG

For students requiring medication to be administered at school

This log should be completed by the staff member administering medication to any student at the school.

Student  
Photo

Name of Student: \_\_\_\_\_

Year level: \_\_\_\_\_

Date	Time	Name of Medication and Dose	Tick when checked ✓				Comments	Staff member administering (print name and initial)	Staff member checking* (print name and initial)
			Correct Child	Correct Medication	Correct Dose	Correct Route			

**\*Cross-checking:** It is recognised that in many school settings medication is administered using a system of two staff members checking that medication is correctly administered. This is an appropriate added safety measure and is seen as good practice.